


- in age-related macular degeneration: a systematic review and meta-analysis. *Ophthalmol Retina*. 2020;4:899–910.
14. Shen LL, Sun M, Ahluwalia A, et al. Geographic atrophy growth is strongly related to lesion perimeter: unifying effects of lesion area, number, and circularity on growth. *Ophthalmol Retina*. 2021;5:868–878.
  15. Shen LL, Sun M, Grossetta Nardini HK, Del Priore LV. Natural history of autosomal recessive Stargardt disease in untreated eyes: a systematic review and meta-analysis of study- and individual-level data. *Ophthalmology*. 2019;126:1288–1296.
  16. Holz FG, Sadda SR, Staurengi G, et al. Imaging protocols in clinical studies in advanced age-related macular degeneration: recommendations from Classification of Atrophy Consensus Meetings. *Ophthalmology*. 2017;124:464–478.
  17. Sadda SR, Guymer R, Holz FG, et al. Consensus definition for atrophy associated with age-related macular degeneration on OCT: classification of Atrophy Report 3. *Ophthalmology*. 2018;125:537–548.
  18. Townes-Anderson E. Increased levels of gene therapy may not be beneficial in retinal disease. *Proc Natl Acad Sci U S A*. 2013;110:E1705.
  19. Cideciyan AV, Jacobson SG, Beltran WA, et al. Reply to Townes-Anderson: RPE65 gene therapy does not alter the natural history of retinal degeneration. *Proc Natl Acad Sci U S A*. 2013;110:E1706.
  20. Xiong W, Wu DM, Xue Y, et al. AAV cis-regulatory sequences are correlated with ocular toxicity. *Proc Natl Acad Sci*. 2019;116:5785–5794.
  21. Rodríguez-Bocanegra E, Wozar F, Seitz IP, et al. Longitudinal evaluation of hyper-reflective foci in the retina following subretinal delivery of adeno-associated virus in non-human primates. *Transl Vis Sci Technol*. 2021;10:15.

## Pictures & Perspectives



### Neuroretinitis: A Rare Manifestation of Acute Ocular Toxoplasmosis in a Child

An 11-year-old boy from São Paulo, Brazil, presented with a 2-week history of reduced vision. Vision was counting fingers resulting from a neuroretinitis that affected the optic nerve and the adjacent superior retina, causing retinal thickening that extended into the macula (A). Workup confirmed positive serologies (immunoglobulin G and immunoglobulin M) for toxoplasmosis and ruled out syphilis, human immunodeficiency virus, Bartonella, and tuberculosis. After a 60-day treatment with oral sulfamethoxazole-trimethoprim and corticosteroids, the neuroretinitis resolved (B), leaving behind localized gliosis on the disc and retinal pigment epithelium hypopigmentation corresponding to the area of previous submacular fluid (arrowhead). Final visual acuity was 20/40. (Magnified version of Figure A-B is available online at [www.opthalmologyretina.org](http://www.opthalmologyretina.org)).

GUILHERME MACEDO SOUZA, MD<sup>1</sup>

LUCIANA PEIXOTO FINAMOR, PhD<sup>1</sup>

RUBENS BELFORT, JR., PhD<sup>1,2</sup>

<sup>1</sup>Department of Ophthalmology and Visual Science, Federal University of São Paulo, São Paulo, Brazil; <sup>2</sup>Instituto Paulista de Estudos e Pesquisas em Oftalmologia, IPEPO, Vision Institute, São Paulo, São Paulo, Brazil